

Impulse Class	Sub Group	Case Dia. (mm)	Case Len. (mm)	Case Type	Ext. Fwd Clos. Req'd	Fwd Seal Disc Req'd	Plugged	Grains	Motor	Avg. Vend. Imp. (N)	High Pwr	Prop Type
E	SU	24	70	n/a					E20-4W	20		White Lightning
E	SU	24	70	n/a					E20-7W	20		White Lightning
F	Economax	24	70	n/a					F44-4W	44		White Lightning
F	Economax	24	70	n/a					F44-8W	44		White Lightning
D	RMS	24	88	RMS 24/40					D9-4W	9		White Lightning
D	RMS	24	88	RMS 24/40					D9-7W	9		White Lightning
D	RMS	24	88	RMS 24/40					D15-4T	15		Blue Thunder
D	RMS	24	88	RMS 24/40					D15-7T	15		Blue Thunder
E	RMS	24	88	RMS 24/40					E11-3J	11		Black Jack
E	RMS	24	88	RMS 24/40					E18-4W	18		White Lightning
E	RMS	24	88	RMS 24/40					E18-7W	18		White Lightning
E	RMS	24	88	RMS 24/40					E28-4T	28		Blue Thunder
E	RMS	24	88	RMS 24/40					E28-7T	28		Blue Thunder
F	RMS	24	88	RMS 24/40					F12-3J	12		Black Jack
F	RMS	24	88	RMS 24/40					F12-5J	12		Black Jack
F	RMS	24	88	RMS 24/40					F24-4W	24		White Lightning
F	RMS	24	88	RMS 24/40					F24-7W	24		White Lightning
F	RMS	24	88	RMS 24/40					F39-6T	39		Blue Thunder
F	RMS	24	88	RMS 24/40					F39-9T	39		Blue Thunder
F	SU	24	95	n/a					F30-4FJ	30		Black Max
F	SU	24	95	n/a					F30-6FJ	30		Black Max
F	SU	24	95	n/a					F30-8FJ	30		Black Max
F	SU	24	95	n/a					F32-4T	32		Blue Thunder
F	SU	24	95	n/a					F32-6T	32		Blue Thunder
F	SU	24	95	n/a					F32-8T	32		Blue Thunder
F	LMS	29	83	n/a					F20-4W	20		White Lightning
F	LMS	29	83	n/a					F20-7W	20		White Lightning
F	Econojet	29	83	n/a					F20-4W	20		White Lightning
F	Econojet	29	83	n/a					F20-7W	20		White Lightning
F	LMS	29	83	n/a					F23-4FJ	23		Black Max
F	LMS	29	83	n/a					F23-7FJ	23		Black Max
F	Econojet	29	83	n/a					F23-4FJ	23		Black Max
F	Econojet	29	83	n/a					F23-7FJ	23		Black Max
F	LMS	29	83	n/a					F27-4R	27		Redline
F	LMS	29	83	n/a					F27-8R	27		Redline
F	Econojet	29	83	n/a					F27-4R	27		Redline
F	Econojet	29	83	n/a					F27-8R	27		Redline
F	LMS	29	83	n/a					F42-4T	42		Blue Thunder
F	LMS	29	83	n/a					F42-8T	42		Blue Thunder
F	Econojet	29	83	n/a					F42-4T	42		Blue Thunder
F	Econojet	29	83	n/a					F42-8T	42		Blue Thunder
G	Economax	29	83	n/a					G74-6W	74		White Lightning
G	Economax	29	83	n/a					G74-9W	74		White Lightning
F	RMS	29	89	RMS 29/60				1	F37W	37		White Lightning
F	RMS	29	89	RMS 29/60				1	F62T	62		Blue Thunder
G	RMS	29	114	RMS 29/100				2	G54W	54		White Lightning
G	RMS	29	114	RMS 29/100				2	G104T	104		Blue Thunder
F	SU	29	124	n/a					F25-4W	25		White Lightning
F	SU	29	124	n/a					F25-6W	25		White Lightning
F	SU	29	124	n/a					F25-9W	25		White Lightning
F	SU	29	124	n/a					F26-6FJ	26		Black Max
F	SU	29	124	n/a					F26-9FJ	26		Black Max
F	SU	29	124	n/a					F50-4T	50		Blue Thunder
F	SU	29	124	n/a					F50-6T	50		Blue Thunder

Impulse Class	Sub Group	Case Dia. (mm)	Case Len. (mm)	Case Type	Ext. Fwd. Clos. Req'd	Fwd Seal Disc Req'd	Plugged	Grains	Motor	Avg. Vend. Imp. (N)	High Pwr	Prop Type
F	SU	29	124	n/a					F50-9T	50		Blue Thunder
G	SU	29	124	n/a					G38-4FJ	38		Black Max
G	SU	29	124	n/a					G38-7FJ	38		Black Max
G	SU	29	124	n/a					G40-4W	40		White Lightning
G	SU	29	124	n/a					G40-7W	40		White Lightning
G	SU	29	124	n/a					G40-10W	40		White Lightning
G	SU	29	124	n/a					G75-4M	75	Yes	Metalstorm
G	SU	29	124	n/a					G75-7M	75	Yes	Metalstorm
G	SU	29	124	n/a					G75-10M	75	Yes	Metalstorm
G	LMS	29	124	n/a					G77-4R	77		Redline
G	LMS	29	124	n/a					G77-7R	77		Redline
G	LMS	29	124	n/a					G77-10R	77		Redline
G	SU	29	124	n/a					G77-4R	77		Redline
G	SU	29	124	n/a					G77-7R	77		Redline
G	SU	29	124	n/a					G77-10R	77		Redline
G	LMS	29	124	n/a					G78-4G	78		Mojave Green
G	LMS	29	124	n/a					G78-7G	78		Mojave Green
G	LMS	29	124	n/a					G78-10G	78		Mojave Green
G	SU	29	124	n/a					G78-4G	78		Mojave Green
G	SU	29	124	n/a					G78-7G	78		Mojave Green
G	SU	29	124	n/a					G78-10G	78		Mojave Green
G	LMS	29	124	n/a					G79-4W	79		White Lightning
G	LMS	29	124	n/a					G79-7W	79		White Lightning
G	LMS	29	124	n/a					G79-10W	79		White Lightning
G	SU	29	124	n/a					G79-4W	79		White Lightning
G	SU	29	124	n/a					G79-7W	79		White Lightning
G	SU	29	124	n/a					G79-10W	79		White Lightning
G	SU	29	124	n/a					G80-7T	80		Blue Thunder
G	SU	29	124	n/a					G80-10T	80		Blue Thunder
G	SU	29	124	n/a					G80-13T	80		Blue Thunder
G	DMS	29	127	n/a					G125T	125	Yes	Blue Thunder
G	RMS	29	140	RMS 29/120				2	G25W	25		White Lightning
G	RMS	29	140	RMS 29/120				2	G77R	77		Redline
G	RMS	29	140	RMS 29/120				2	G79W	79		White Lightning
E	RMS	29	143	RMS 29/40-120					E16-4W	16		White Lightning
E	RMS	29	143	RMS 29/40-120					E16-7W	16		White Lightning
E	RMS	29	143	RMS 29/40-120					E23-5T	23		Blue Thunder
E	RMS	29	143	RMS 29/40-120					E23-8T	23		Blue Thunder
F	RMS	29	143	RMS 29/40-120					F22-5J	22		Black Jack
F	RMS	29	143	RMS 29/40-120					F22-7J	22		Black Jack
F	RMS	29	143	RMS 29/40-120					F35-5W	35		White Lightning
F	RMS	29	143	RMS 29/40-120					F35-8W	35		White Lightning
F	RMS	29	143	RMS 29/40-120					F35-11W	35		White Lightning
F	RMS	29	143	RMS 29/40-120					F40-4W	40		White Lightning
F	RMS	29	143	RMS 29/40-120					F40-7W	40		White Lightning
F	RMS	29	143	RMS 29/40-120					F40-10W	40		White Lightning
F	RMS	29	143	RMS 29/40-120					F52-5T	52		Blue Thunder
F	RMS	29	143	RMS 29/40-120					F52-8T	52		Blue Thunder
F	RMS	29	143	RMS 29/40-120					F52-11T	52		Blue Thunder
G	RMS	29	143	RMS 29/40-120					G53-5FJ	53		Black Max
G	RMS	29	143	RMS 29/40-120					G53-7FJ	53		Black Max
G	RMS	29	143	RMS 29/40-120					G53-10FJ	53		Black Max
G	RMS	29	143	RMS 29/40-120					G64-4W	64		White Lightning
G	RMS	29	143	RMS 29/40-120					G64-7W	64		White Lightning

Impulse Class	Sub Group	Case Dia. (mm)	Case Len. (mm)	Case Type	Ext. Fwd Clos. Req'd	Fwd Seal Disc Req'd	Plugged	Grains	Motor	Avg. Vend. Imp. (N)	High Pwr	Prop Type
G	RMS	29	143	RMS 29/40-120					G64-10W	64		White Lightning
G	RMS	29	143	RMS 29/40-120					G76-4G	76		Mojave Green
G	RMS	29	143	RMS 29/40-120					G76-7G	76		Mojave Green
G	RMS	29	143	RMS 29/40-120					G76-10G	76		Mojave Green
G	RMS	29	143	RMS 29/40-120					G138T	138	Yes	Blue Thunder
G	DMS	29	152	n/a					G80T	80		New Blue Thunder
G	RMS	29	184	RMS 29/180				3	G75J	75		Black Jack
H	RMS	29	184	RMS 29/180				3	H128W	128	Yes	White Lightning
H	RMS	29	184	RMS 29/180				3	H165R	165	Yes	Redline
H	RMS	29	184	RMS 29/180				3	H238T	238	Yes	Blue Thunder
H	DMS	29	203	n/a					H115DM	115	Yes	Dark Matter
H	DMS	29	203	n/a					H182R	182	Yes	Redline
H	DMS	29	203	n/a					H195NT	195	Yes	New Blue Thunder
H	DMS	29	216	n/a					H135W	135	Yes	White Lightning
H	RMS	29	229	RMS 29/240				4	H97J	97	Yes	Black Jack
H	RMS	29	229	RMS 29/240				4	H180W	180	Yes	White Lightning
H	RMS	29	229	RMS 29/240		Yes		4	H210R	210	Yes	Redline
H	RMS	29	229	RMS 29/240		Yes		4	H220T	220	Yes	Blue Thunder
H	RMS	29	229	RMS 29/240		Yes		4	H250G	250	Yes	Mojave Green
I	DMS	29	304	n/a					I205W	205	Yes	White Lightning
D	RMS-R/C	32	69	RMS-R/C 24/20-40					D7	7		Blue Thunder
E	RMS-R/C	32	69	RMS-R/C 24/20-40					E6	6		Blue Thunder
E	RMS-R/C	32	69	RMS-R/C 24/20-40					E7	7		Blue Thunder
E	RMS-R/C	32	69	RMS-R/C 24/20-40					E12	12		Black Jack
F	RMS-R/C	32	90	RMS-R/C 32/60-100					F13	13		Blue Thunder
F	RMS-R/C	32	90	RMS-R/C 32/60-100					F16	16		Black Jack
F	RMS-R/C	32	90	RMS-R/C 32/60-100					F23	23		White Lightning
G	RMS-R/C	32	90	RMS-R/C 32/60-100					G12	12		Blue Thunder
G	RMS-EZ	38	97	RMS 38/120				1	G61W	61		White Lightning
G	RMS	38	97	RMS 38/120				1	G67R	67		Redline
G	RMS	38	97	RMS 38/120				1	G69N	69		Warp-9
G	RMS	38	97	RMS 38/120				1	G339N	339	Yes	Warp-9
H	RMS	38	97	RMS 38/120				1	H268R	268	Yes	Redline
I	RMS	38	97	RMS 38/120				1	I200W	200	Yes	White Lightning
H	RMS	38	145	RMS 38/240				2	H73J	73	Yes	Black Jack
H	RMS-EZ	38	145	RMS 38/240				2	H123W	123	Yes	White Lightning
H	RMS	38	145	RMS 38/240				2	H148R	148	Yes	Redline
H	RMS	38	145	RMS 38/240				2	H242T	242	Yes	Blue Thunder
H	RMS	38	145	RMS 38/240				2	H669N	669	Yes	Warp-9
H	RMS	38	193	RMS 38/360				3	H112J	112	Yes	Black Jack
H	RMS	38	193	RMS 38/360				3	H170M	170	Yes	Metalstorm
H	RMS	38	193	RMS 38/360				3	H178DM	178	Yes	Dark Matter
H	RMS-EZ	38	193	RMS 38/360				3	H550ST	550	Yes	Super Thunder
H	RMS	38	193	RMS 38/360				3	H999N	999	Yes	Warp-9
I	RMS	38	193	RMS 38/360				3	I49N	49	Yes	Warp-9
I	RMS-EZ	38	193	RMS 38/360				3	I161W	161	Yes	White Lightning
I	RMS	38	193	RMS 38/360				3	I218R	218	Yes	Redline
I	RMS	38	193	RMS 38/360				3	I245G	245	Yes	Mojave Green
I	RMS-EZ	38	193	RMS 38/360				3	I357T	357	Yes	Blue Thunder
H	DMS	38	202	n/a					H45W	45	Yes	White Lightning
I	DMS	38	203	n/a					I140W	140	Yes	White Lightning
H	DMS	38	206	n/a					H550ST	550	Yes	Super Thunder
I	RMS	38	240	RMS 38/480				4	I59WN	59	Yes	Warp-9
I	RMS	38	240	RMS 38/480				4	I154J	154	Yes	Black Jack

Impulse Class	Sub Group	Case Dia. (mm)	Case Len. (mm)	Case Type	Ext. Fwd Clos. Req'd	Fwd Seal Disc Req'd	Plugged	Grains	Motor	Avg. Vend. Imp. (N)	High Pwr	Prop Type
I	RMS-EZ	38	240	RMS 38/480				4	I211W	211	Yes	White Lightning
I	RMS	38	240	RMS 38/480				4	I225FJ	225	Yes	Black Max
I	RMS	38	240	RMS 38/480				4	I285R	285	Yes	Redline
I	RMS	38	240	RMS 38/480				4	I300T	300	Yes	Blue Thunder
I	RMS	38	240	RMS 38/480				4	I1299N	1299	Yes	Warp-9
I	RMS	38	288	RMS 38/600				5	I195J	195	Yes	Black Jack
I	RMS-EZ	38	288	RMS 38/600				5	I284W	284	Yes	White Lightning
I	RMS	38	288	RMS 38/600				5	I305FJ	305	Yes	Black Max
I	RMS	38	288	RMS 38/600				5	I366R	366	Yes	Redline
I	RMS	38	288	RMS 38/600				5	I435T	435	Yes	Blue Thunder
I	RMS	38	335	RMS 38/720				6	I327DM	327	Yes	Dark Matter
I	RMS	38	335	RMS 38/720				6	I364FJ	364	Yes	Black Max
I	RMS	38	335	RMS 38/720				6	I600R	600	Yes	Redline
J	RMS	38	335	RMS 38/720				6	J340M	340	Yes	Metalstorm
J	RMS-EZ	38	335	RMS 38/720				6	J350W	350	Yes	White Lightning
J	RMS	38	335	RMS 38/720				6	J420R	420	Yes	Redline
J	RMS	38	335	RMS 38/720				6	J500G	500	Yes	Mojave Green
I	DMS	38	355	n/a					I280DM	280	Yes	Dark Matter
I	DMS	38	355	n/a					I500T	500	Yes	Blue Thunder
J	DMS	38	355	n/a					J270W	270	Yes	White Lightning
J	DMS	38	356	n/a					J425R	425	Yes	Redline
J	RMS-EZ	38	478	RMS 38/1080				9	J570W	570	Yes	White Lightning
J	RMS	38	478	RMS 38/1080				9	J575FJ	575	Yes	Black Max
J	RMS	38	478	RMS 38/1080				9	J825R	825	Yes	Redline
J	RMS	38	574	RMS 38/1320				6	J510W	510	Yes	White Lightning
I	RMS	54	147	RMS 54/426				1	I115W	115	Yes	White Lightning
I	RMS	54	147	RMS 54/426				1	I117FJ	117	Yes	Black Max
I	RMS	54	147	RMS 54/426				1	I170G	170	Yes	Mojave Green
I	RMS	54	147	RMS 54/426				1	I215R	215	Yes	Redline
I	RMS	54	147	RMS 54/426				1	I229T	229	Yes	Blue Thunder
I	RMS	54	147	RMS 54/426			Yes	1	I599N	599	Yes	Warp-9
J	RMS	54	232	RMS 54/852				2	J180T	180	Yes	Blue Thunder
J	RMS	54	232	RMS 54/852				2	J250FJ	250	Yes	Black Max
J	RMS	54	232	RMS 54/852				2	J275W	275	Yes	White Lightning
J	RMS	54	232	RMS 54/852				2	J315R	315	Yes	Redline
J	RMS	54	232	RMS 54/852				2	J460T	460	Yes	Blue Thunder
J	RMS	54	232	RMS 54/852			Yes	2	J1299N	1299	Yes	Warp-9
I	DMS	54	235	n/a					I65W	65	Yes	White Lightning
J	RMS	54	244	RMS 54/852	Yes			1	J90W	90	Yes	White Lightning
J	RMS	54	316	RMS 54/1280				3	J401FJ	401	Yes	Black Max
J	RMS	54	316	RMS 54/1280				3	J415W	415	Yes	White Lightning
J	RMS	54	316	RMS 54/1280				3	J540R	540	Yes	Redline
J	RMS	54	316	RMS 54/1280				3	J800T	800	Yes	Blue Thunder
J	RMS	54	316	RMS 54/1280			Yes	3	J1799N	1799	Yes	Warp-9
J	RMS	54	329	RMS 54/1280	Yes			1	J135W	135	Yes	White Lightning
K	DMS	54	358	n/a					K535W	535	Yes	White Lightning
K	RMS	54	401	RMS 54/1706		Yes		4	K456DM	456	Yes	Dark Matter
K	RMS	54	401	RMS 54/1706		Yes		4	K513FJ	513	Yes	Black Max
K	RMS	54	401	RMS 54/1706		Yes		4	K540M	540	Yes	Metalstorm
K	RMS	54	401	RMS 54/1706		Yes		4	K550W	550	Yes	White Lightning
K	RMS	54	401	RMS 54/1706		Yes		4	K695R	695	Yes	Redline
K	RMS	54	401	RMS 54/1706		Yes	Yes	4	K805G	805	Yes	Mojave Green
K	RMS	54	401	RMS 54/1706		Yes		4	K1100T	1100	Yes	Blue Thunder
K	RMS	54	401	RMS 54/1706		Yes		4	K1103X	1103	Yes	Propellant X

Impulse Class	Sub Group	Case Dia. (mm)	Case Len. (mm)	Case Type	Ext. Fwd. Clos. Req'd	Fwd Seal Disc Req'd	Plugged	Grains	Motor	Avg. Vend. Imp. (N)	High Pwr	Prop Type
K	RMS	54	413	RMS 54/1706	Yes	Yes		1	K185W	185	Yes	White Lightning
K	RMS	54	570	RMS 54/2560		Yes	Yes	6	K375NW	375	Yes	Warp-9/White Lightning
K	RMS	54	570	RMS 54/2560		Yes	Yes	6	K480W	480	Yes	White Lightning
K	RMS	54	570	RMS 54/2560		Yes	Yes	6	K700W	700	Yes	White Lightning
K	RMS	54	570	RMS 54/2560		Yes	Yes	6	K828FJ	828	Yes	Black Max
K	RMS	54	570	RMS 54/2560		Yes	Yes	6	K1275R	1275	Yes	Redline
K	RMS	54	582	RMS 54/2560	Yes	Yes	Yes	1	K270W	270	Yes	White Lightning
K	RMS	54	617	RMS 54/2800		Yes	Yes	5	K1050W	1050	Yes	White Lightning
L	RMS	54	617	RMS 54/2800		Yes	Yes		L1090W	1090	Yes	White Lightning
L	DMS	54	635	n/a					L1000W	1000	Yes	White Lightning
K	RMS	75	248	RMS 75/1280			Yes	1	K1499N	1499	Yes	Warp-9
K	RMS	75	383	RMS 75/2560			Yes	2	K560W	560	Yes	White Lightning
K	RMS	75	383	RMS 75/2560			Yes	2	K780R	780	Yes	Redline
K	RMS	75	383	RMS 75/2560			Yes	2	K1000T	1000	Yes	Blue Thunder
L	RMS	75	518	RMS 75/3840			Yes	3	L850W	850	Yes	White Lightning
L	RMS	75	518	RMS 75/3840			Yes	3	L1150R	1150	Yes	Redline
L	RMS	75	518	RMS 75/3840			Yes	3	L1390G	1390	Yes	Mojave Green
L	RMS	75	518	RMS 75/3840			Yes	3	L1520T	1520	Yes	Blue Thunder
M	DMS	75	622	n/a			Yes		M1350W	1350	Yes	White Lightning
L	DMS	75	638	n/a					L875DM	875	Yes	Dark Matter
L	RMS	75	653	RMS 75/5120		Yes	Yes	4	L900DM	900	Yes	Dark Matter
L	RMS	75	653	RMS 75/5120		Yes	Yes	4	L1040DM	1040	Yes	Dark Matter
L	RMS	75	653	RMS 75/5120		Yes	Yes	4	L1170FJ	1170	Yes	Black Max
L	RMS	75	653	RMS 75/5120		Yes	Yes	4	L1365M	1365	Yes	Metalstorm
L	RMS	75	653	RMS 75/5120		Yes	Yes	4	L1420R	1420	Yes	Redline
L	RMS	75	653	RMS 75/5120		Yes	Yes	4	L2200G	2200	Yes	Mojave Green
M	RMS	75	653	RMS 75/5120		Yes	Yes	4	M1297W	1297	Yes	White Lightning
M	RMS	75	653	RMS 75/5120		Yes	Yes	4	M1500G	1500	Yes	Mojave Green
M	RMS	75	653	RMS 75/5120		Yes	Yes	4	M1780NT	1780	Yes	New Blue Thunder
L	RMS	75	788	RMS 75/6400		Yes	Yes	5	L1250DM	1250	Yes	Dark Matter
M	RMS	75	788	RMS 75/6400		Yes	Yes	5	M650W	650	Yes	White Lightning
M	RMS	75	788	RMS 75/6400		Yes	Yes	5	M1315W	1315	Yes	White Lightning
M	RMS	75	788	RMS 75/6400		Yes	Yes	5	M1550R	1550	Yes	Redline
M	RMS	75	923	RMS 75/7680		Yes	Yes	6	M685W	685	Yes	White Lightning
M	RMS	75	923	RMS 75/7680		Yes	Yes	6	M1850W	1850	Yes	White Lightning
K	RMS	98	290	RMS 98/2560		Yes	Yes	1	K458W	458	Yes	White Lightning
K	RMS	98	290	RMS 98/2560		Yes	Yes	1	K650T	650	Yes	Blue Thunder
K	RMS	98	290	RMS 98/2560		Yes	Yes	1	K680R	680	Yes	Redline
K	RMS	98	290	RMS 98/2560		Yes	Yes	1	K1999N	1999	Yes	Warp-9
L	RMS	98	290	RMS 98/2560		Yes	Yes	1	L339N	339	Yes	Warp-9
L	RMS	98	444	RMS 98/5120		Yes	Yes	2	L400W	400	Yes	White Lightning
L	RMS	98	444	RMS 98/5120		Yes	Yes	2	L952W	952	Yes	White Lightning
L	RMS	98	444	RMS 98/5120		Yes	Yes	2	L1300R	1300	Yes	Redline
L	RMS	98	444	RMS 98/5120		Yes	Yes	2	L1500T	1500	Yes	Blue Thunder
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M1075DM	1075	Yes	Dark Matter
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M1305M	1305	Yes	Metalstorm
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M1419W	1419	Yes	White Lightning
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M1600R	1600	Yes	Redline
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M1845NT	1845	Yes	New Blue Thunder
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M2100G	2100	Yes	Mojave Green
M	RMS	98	598	RMS 98/7680		Yes	Yes	3	M2400T	2400	Yes	Blue Thunder
M	RMS	98	752	RMS 98/10240		Yes	Yes	4	M750W	750	Yes	White Lightning
M	RMS	98	752	RMS 98/10240		Yes	Yes	4	M1800FJ	1800	Yes	Black Max
M	RMS	98	752	RMS 98/10240		Yes	Yes	4	M1939W	1939	Yes	White Lightning

Impulse Class	Sub Group	Case Dia. (mm)	Case Len. (mm)	Case Type	Ext. Fwd Clos. Req'd	Fwd Seal Disc Req'd	Plugged	Grains	Motor	Avg. Vend. Imp. (N)	High Pwr	Prop Type
M	RMS	98	752	RMS 98/10240		Yes	Yes	4	M2000R	2000	Yes	Redline
M	RMS	98	752	RMS 98/10240		Yes	Yes	4	M2500T	2500	Yes	Blue Thunder
N	RMS	98	1060	RMS 98/15360		Yes	Yes	6	N1000W	1000	Yes	White Lightning
N	RMS	98	1060	RMS 98/15360		Yes	Yes	6	N2000W	2000	Yes	White Lightning
N	RMS	98	1060	RMS 98/15360		Yes	Yes	6	N3300R	3300	Yes	Redline